

Product Name: Benzyl Benzoate
CAS#: 120-51-4
Chemical Name: Benzyl Benzoate
Chemical Family: Ester
Molecular Weight: 212.26
Molecular Formula: $C_{14}H_{12}O_2$
EMERGENCY NUMBER: 1-800-535-5053

COMPOSITION/ INFORMATION ON INGREDIENTS:

Components: Benzyl Benzoate
CAS#: 120-51-4
% by wt.: 100
Exposure Limits: None

HAZARDOUS IDENTIFICATION:

EMERGENCY OVERVIEW An oily liquid. This product does not present an immediate concern for emergency personnel.

POTENTIAL HEALTH EFFECTS:

Eyes: May cause irritation.

Skin: May cause irritation.

Ingestion: Moderately toxic and may be harmful if swallowed.

Inhalation: High gas, vapor, or mist concentrations may be harmful if inhaled.

Chronic (Carcinogen): None of the components in this chemical are listed by IARC, NTP, or OSHA as a carcinogen.

Teratogenicity: Not listed.

Mutagenicity: Not listed.

FIREFIGHTING MEASURES:**Flammable properties**

Flashpoint: 295° F (146° C)

Method: C.O.C.

Flammable Limits

LEL: Not established

UEL: Not established

Autoignition: 436° C

Combustion Products: As with other organic materials, combustion will produce carbon dioxide and carbon monoxide.

Extinguishing Media: Foam, dry chemical, water spray, CO₂

Firefighting Instructions: Wear self-contained breathing apparatus and protective clothing.

ACCIDENTAL RELEASE MEASURES:

Contain spilled liquid with sand or vermiculite and place in a chemical waste container. Prevent run off from entering drains, sewers, and streams.

HANDLING AND STORAGE:

Handling: Avoid contact with eyes, skin and clothing. Use with adequate ventilation. Wash thoroughly after handling.

Storage: This product should be stored at ambient temperature in a dry, well-ventilated location. Keep container tightly closed.

EXPOSURE CONTROLS/PERSONAL PROTECTION:

Engineering Controls: Use with adequate ventilation. Whenever this product is used in a confined space or heated above ambient temperature, the use of local mechanical ventilation is recommended.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eyes/Face: Goggles or glasses with side shields.

Skin: Impermeable gloves and sufficient clothing to minimize physical contact.

Respiratory: Use of an approved mist-type respirator is recommended if this product is used in a confined space or heated above ambient temperature.

PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Clear, oily liquid

Odor: Characteristic odor

pH: N/A

Physical State: Liquid

Vapor Pressure: 4.5 mm Hg@ 156°C

Vapor Density: 7.3

Boiling Point: 324°C (615°F)

Freezing/Melting Point: 20°C (68°F)

Solubility in water: Insoluble

Specific Gravity: 1.120 @ 25/25°C

Evaporation Rate: < 1 (Butyl Acetate = 1)

STABILITY AND REACTIVITY:

Stability: Stable

Incompatibility: Incompatible with oxidizing materials.

Decomposition Products: As with other organic materials, combustion will produce carbon dioxide and carbon monoxide.

Polymerization: Will not occur.

TOXICOLOGICAL INFORMATION:

oral - rat	LD50: 1700 mg/kg
skin - rat	LD50: 4000 mg/kg
oral - mouse	LD50: 1400 mg/kg
oral - cat	LD50: 2240 mg/kg
oral - rabbit	LD50: 1680 mg/kg
skin - rabbit	LD50: 4000 mg/kg
oral - guinea pig	LD50: 1000 mg/kg
intraperitoneal-mouse	LD50: >500 mg/kg
oral - dog	LD50: >2240 mg/kg

DISPOSAL CONSIDERATIONS:

Disposal must be in accordance with Federal, State, and Local regulations.

TRANSPORT INFORMATION:

D.O.T Shipping Classification: Chemicals N.O.I.

D. O. T. Hazard Class: Non-hazardous

U.N. Number: N/A

D.O.T. Hazard Label: N/A

I.M.O.: Not listed

REGULATORY INFORMATION:

OSHA Status: None

SARA Title III: N/A

CERCLA: N/A

INVENTORIES

TSCA: listed

CANADA: listed

EINECS: listed

JAPAN: listed

AUSTRALIA: listed

OTHER INFORMATION:

	HMIS RATING	NFPA RATING
HEALTH	1	1
FLAMMABILITY	1	1
REACTIVITY	0	0
PERSONAL PROTECTION	B	

The information herein is true and accurate to the best of our knowledge. No warranty or guarantee is expressed or implied in this data. It is the user's responsibility to determine the suitability for his own use of the products described within. Nothing shall constitute permission, inducement or recommendation to practice any invention covered by and patent owned by Geoliquids, Inc. or by others, nor as a recommendation to use and product or to practice any process in violation of any law or government regulation.

This material is supplied for use in laboratories with proper ventilation by skilled people only.