



GEOLIQUIDS, INC.

4 East Piper Lane, Suite F
Prospect Heights, IL 60070
www.geoliquids.com
mail@geoliquids.com

p 847.215.0938

p **800.827.2411**

f 847.215.9821

January, 2014

MSDS : BENZYL BENZOATE

CHEMICAL PRODUCT AND COMPANY IDENTIFICATION:

Product Name: Benzyl Benzoate
CAS#: 120-51-4
Chemical Name: Benzyl Benzoate
Chemical Family: Ester
Molecular Weight: 212.26
Molecular Formula: $C_{14}H_{12}O_2$
EMERGENCY NUMBER: 1-800-535-5053

COMPOSITION/ INFORMATION ON INGREDIENTS:

Components: Benzyl Benzoate
CAS#: 120-51-4
% by wt.: 100
Exposure Limits: None

HAZARDOUS IDENTIFICATION:

EMERGENCY OVERVIEW An oily liquid. This product does not present an immediate concern for emergency personnel.

POTENTIAL HEALTH EFFECTS:

Eyes: May cause irritation.

Skin: May cause irritation.

Ingestion: Moderately toxic and may be harmful if swallowed.

Inhalation: High gas, vapor, or mist concentrations may be harmful if inhaled.

Chronic (Carcinogen): None of the components in this chemical are listed by IARC, NTP, or OSHA as a carcinogen.

Teratogenicity: Not listed.

Mutagenicity: Not listed.

FIRST AID MEASURES:

Eyes: Immediately flush the eyes with plenty of water for at least 15 minutes. Call a physician.

Skin: Wash thoroughly with soap and water after skin contact.

Ingestion: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention.

Inhalation: Remove from exposure. If not breathing, give artificial respiration and call a physician.

FIREFIGHTING MEASURES:**Flammable properties**

Flashpoint: 295° F (146° C)

Method: C.O.C.

Flammable Limits

LEL: Not established

UEL: Not established

Autoignition: 436° C

Combustion Products: As with other organic materials, combustion will produce carbon dioxide and carbon monoxide.

Extinguishing Media: Foam, dry chemical, water spray, CO₂

Firefighting Instructions: Wear self-contained breathing apparatus and protective clothing.

ACCIDENTAL RELEASE MEASURES:

Contain spilled liquid with sand or vermiculite and place in a chemical waste container. Prevent run off from entering drains, sewers, and streams.

HANDLING AND STORAGE:

Handling: Avoid contact with eyes, skin and clothing. Use with adequate ventilation. Wash thoroughly after handling.

Storage: This product should be stored at ambient temperature in a dry, well-ventilated location. Keep container tightly closed.

EXPOSURE CONTROLS/PERSONAL PROTECTION:

Engineering Controls: Use with adequate ventilation. Whenever this product is used in a confined space or heated above ambient temperature, the use of local mechanical ventilation is recommended.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Eyes/Face: Goggles or glasses with side shields.

Skin: Impermeable gloves and sufficient clothing to minimize physical contact.

Respiratory: Use of an approved mist-type respirator is recommended if this product is used in a confined space or heated above ambient temperature.

PHYSICAL AND CHEMICAL PROPERTIES:

Appearance: Clear, oily liquid
Odor: Characteristic odor
pH: N/A
Physical State: Liquid
Vapor Pressure: 4.5 mm Hg@ 156°C
Vapor Density: 7.3
Boiling Point: 324°C (615°F)
Freezing/Melting Point: 20°C (68°F)
Solubility in water: Insoluble
Specific Gravity: 1.120 @ 25/25°C
Evaporation Rate: < 1 (Butyl Acetate = 1)

STABILITY AND REACTIVITY:

Stability: Stable
Incompatibility: Incompatible with oxidizing materials.
Decomposition Products: As with other organic materials, combustion will produce carbon dioxide and carbon monoxide.
Polymerization: Will not occur.

TOXICOLOGICAL INFORMATION:

| | |
|-----------------------|-------------------|
| oral - rat | LD50: 1700 mg/kg |
| skin - rat | LD50: 4000 mg/kg |
| oral - mouse | LD50: 1400 mg/kg |
| oral - cat | LD50: 2240 mg/kg |
| oral - rabbit | LD50: 1680 mg/kg |
| skin - rabbit | LD50: 4000 mg/kg |
| oral - guinea pig | LD50: 1000 mg/kg |
| intraperitoneal-mouse | LD50: >500 mg/kg |
| oral - dog | LD50: >2240 mg/kg |

DISPOSAL CONSIDERATIONS:

Disposal must be in accordance with Federal, State, and Local regulations.

TRANSPORT INFORMATION:

D.O.T Shipping Classification: Chemicals N.O.I.
D. O. T. Hazard Class: Non-hazardous
U.N. Number: N/A
D.O.T. Hazard Label: N/A
I.M.O.: Not listed

REGULATORY INFORMATION:

OSHA Status: None
SARA Title III: N/A
CERCLA: N/A
INVENTORIES
TSCA: listed
CANADA: listed
EINECS: listed
JAPAN: listed
AUSTRALIA: listed

OTHER INFORMATION:

| | HMIS RATING | NFPA RATING |
|---------------------|-------------|-------------|
| HEALTH | 1 | 1 |
| FLAMMABILITY | 1 | 1 |
| REACTIVITY | 0 | 0 |
| PERSONAL PROTECTION | B | |

The information herein is true and accurate to the best of our knowledge. No warranty or guarantee is expressed or implied in this data. It is the user's responsibility to determine the suitability for his own use of the products described within. Nothing shall constitute permission, inducement or recommendation to practice any invention covered by and patent owned by Geoliquids, Inc. or by others, nor as a recommendation to use and product or to practice any process in violation of any law or government regulation.

This material is supplied for use in laboratories with proper ventilation by skilled people only.